

10/043, 772

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S5	1	((('trace' near5 instructio\$2) and 'block') same schedul\$3) and (data near2 dependen\$4) and ((register near2 store) or (move near2 register)) and ((compensation near2 code) or (additional near2 code) or (supplem\$6 near2 code)) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 12:50
S7	1	((('trace' near5 instructio\$2) and 'block') same schedul\$3) and (data near2 dependen\$4) and ((register near2 store) or (move near2 register)) and (renam\$3 near2 register) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 12:53
S8	2	((('trace' near5 instructio\$2) and 'block') same schedul\$3) and (data near2 dependen\$4) and ((register near2 store) or (move near2 register)) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 12:54
S9	15	rename near2 schedul\$3) and 'register' and 'block' and(@ad<"20020109" or @rlad<"20020109" or @prad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 13:23
S12	18	((regardless near3 dependenc\$3) or (disregard\$3 near3 dependenc\$3) or (ignor\$3 near3 dependenc\$3)) and 'register' and (optimiz\$6 same compiler) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 13:32
S13	105	('write after read' near2 WAR) and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT	OR	OFF	2004/11/05 14:18
S14	7	('write after read' near2 WAR) and (optimiz\$5 near compiler) and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT	OR	OFF	2004/11/08 12:26

S17	40	(schedul\$3 same (dependenc\$3 near3 analysis)) and 'compiler' and optimi\$6 and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 17:06
S18	8	(schedul\$3 same (dependenc\$3 near3 analysis)) and 'rename' and 'compiler' and optimi\$6 and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 17:19
S20	14	((schedul\$3 near first) same dependenc\$3) and 'compiler' and optimi\$6 and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 17:51
S21	67	('write after read') and 'compiler' and optimi\$6 and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 17:52
S22	15	('write after read') and 'rename' and 'compiler' and optimi\$6 and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/07 17:52
S23	29	((join\$2 near2 instructio\$2) or (tempora\$3 near2 instructio\$2) or (pseudo near2 instructio\$2)) and ((expen\$4 near2 instructio\$2) or (append near2 instructio\$2)) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:14
S24	20	((join\$2 near2 instructio\$2) or (tempora\$3 near2 instructio\$2) or (pseudo near2 instructio\$2)) and 'compiler' and ((expen\$4 near2 instructio\$2) or (append near2 instructio\$2)) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:37
S25	26	((join\$2 near2 instructio\$2) or (tempora\$3 near2 instructio\$2) or (conjunct\$4 near2 instruction) or (pseudo near2 instructio\$2)) and 'compiler' and ((expen\$4 near2 instructio\$2) or (append near2 instructio\$2)) and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:38

S27	822	((expand near2 instructio\$2) or (map near2 instructio\$2) or (inser\$4 near2 instructio\$2)) and 'compiler' and optimi\$6 and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:57
S28	13	((expand near2 instructio\$2) or (map near2 instructio\$2) or (inser\$4 near2 instructio\$2)) and 'compiler' and optimi\$6 and ('blank instruction' or 'pseudo instruction' or 'temporary instruction') and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:01
S29	35	('rename register') and 'compiler' and (@ad<"200201019" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:02
S30	3	('write after read' near2 WAR) and (optimiz\$5 near compiler) and (renam\$3 near2 registe\$2) and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT	OR	OFF	2004/11/08 12:27
S31	10	(schedul\$3 same (dependenc\$3 near3 analysis)) and 'compiler' and 'label' and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:24
S33	10	(schedul\$3 same (dependenc\$3 near3 analysis)) and 'compiler' and 'label' and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:06
S35	4	(schedul\$3 same (dependenc\$3 near3 analysis)) and 'compiler' and 'label' and renam\$3 and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:13
S36	0	(schedul\$3 same (regardless near2 (dependenc\$3 near3 analysis))) and 'compiler' and renam\$3 and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:14

S44	2	(without near2 (dependenc\$3 near3 analysis)) and 'compiler' and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:18
S51	11	(schedul\$3 same (dependenc\$3 near3 analysis)) and 'compiler' and renam\$3 and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:41
S55	8	(schedul\$3) and 'compiler' and (blank near2 instructio\$2') and (@ad<"20020109" or @prad<"20020109" or @rlad<"20020109")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/12 15:59
S56	3	((last near2 'dependency analysis') or ('data dependency' near2 'after')) and 'register' and (optimiz\$6 same compiler) and(@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 12:32
S59	0	(('compensation code' near4 error)near2 correct\$3) and 'compiler' and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:37
S60	30	'compensation code' and 'compiler' and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:37
S61	1	'compensation code' same 'error' and 'compiler' and (@ad<"20020109" or @rlad<"20020109" or @prad<"20020109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/17 15:38